




OMNIA-288


Product Classification

The OMNIA-288 is an environmentally friendly IP68 sealed closure typically used for fibre optic cable distribution in FTTX Networks. This generic closure furnishes fibre splicing, fibre storage and passive components integration in all fibre applications—an all-encompassing integration of FTTX networks. The OMNIA-288 has a minimal and environmentally sustainable compact design for modern fibre optic deployments.


Regional Availability	Europe Middle East and Africa (EMEA) North America
Product Type Single-ended	Rectangular Fibre Closure
Product Brand	OMNIA™
Product Series	OMNIA-288

General Specifications

Cable Entry	Oval port and round port style mechanical seal
Loop Through	Uncut and mid span access
Cable Ports	3 Round and 1 oval Port
Cable Sealing Type	Compressed mechanical seal
Closure Sealing Type	Four Sided latch Clamp
Closure Style	Single-ended rectangular dome and base
Colour	Black
Mounting	Wall mount MOBRA mount POLE mount
Network Area Type	Core Distribution Drop
Splice Tray Included	12
Splice Tray Type Included	24-way Heat shrink Dual load loose tube & ribbon fibre
Splices per Tray	24 and 4 Ribbon Splices
Splicing Capacity	Single fusion, maximum 288F and ribbon 576F
Splicing Type	Supported single fusion
PLC Splitter	24 x 8 Way 12 x 32 Way 6 x 64 Way
Adaptor Plate	12 x SC
IOT	LOC (Lable On Cable) NFC asset management software platform



Cable Size mm	OMNIA Port Type	Seal Type	Max Capacity	Product Code
1.5 - 3.8	Round Port	16 Way Round	16 Cables	MR-16SK
3.8 - 6.5	Round Port	8 Way Round	8 Cables	MR-8SK
6.5 - 9	Round Port	4 Way Round	4 Cables	MR-4SK
6.5 - 7.2	Round Port	6 Way Round	6 Cables	MR-6SK
9 - 15	Round Port	1 Way Round	1 Cables	MR-1SK
1.5 – 8	Oval Port	8 Way Grommet	8 Cables	OM-8SK
4 - 8	Oval Port	2 Way Grommet	2 Cables	OM-4SK
4 - 8	Oval Port	10 Way Grommet	10 Cables	OM-4+2SK
8 - 12.5	Oval Port	2 Way Grommet	2 Cables	OM-12SK
15 - 20	Oval Port	1 Way Grommet	2 Cables	OM-20SK



Cable Size inch	OMNIA Port Type	Seal Type	Max Capacity	Product Code
0.06 – 0.15	Round Port	16 Way Round	16 Cables	MR-16SK
0.15 – 0.25	Round Port	8 Way Round	8 Cables	MR-8SK
0.25 – 0.35	Round Port	4 Way Round	4 Cables	MR-4SK
0.25 – 0.28	Round Port	6 Way Round	6 Cables	MR-6SK
0.35 – 0.6	Round Port	1 Way Round	1 Cables	MR-1SK
0.06 – 0.16	Oval Port	8 way Grommet	8 Cables	OM-8SK
0.16 – 0.31	Oval Port	2 way Grommet	2 Cables	OM-4SK
0.16 – 0.31	Oval Port	10 way Grommet	10 Cables	OM-4+2SK
0.31 – 0.5	Oval Port	2 way Grommet	2 Cables	OM-12SK
0.5 – 0.78	Oval Port	1 way Grommet	2 Cables	OM-20SK